Car lift tables - Single Scissor Specifications, TF 4500

Model TF 4500 Art. No. 606550 Capacity 4500 kg Lift stroke 3500 mm Lowest height 590 mm 5000 mm Length Width 2400 mm Lifting time 77 sec kW (S3) 5,5 Weight pack. incl. 3100 kg



Accessories, TF 4500

Limit switch

The limit switch is adjustable and stops the lift at a pre-set height. Select the upper or lower limit, and whether there should be a function for passing the limit.



Loadflap hydraulic

For bridging the gap between the lift table and loading dock or vehicle. Hydraulic operated. This option is mainly used on lorry loaders.



Loadflap manual

For bridging the gap between the lift table and loading dock or vehicle. Manually operated. This option is mainly used on lorry loaders.



EdmoLift AB, Jägaregatan 11, SE-871 42 HÄRNÖSAND , Sweden, , +46 (0)611-36 87 00, Email: b2b@edmolift.se, Website: https://www.edmolift.com

URL: https://www.edmolift.com/tf-4500



Guard rail

A 1100 mm high rail with a mid-rail and a 150 mm high toe kick-plate is a recommended option when the lift table is used by persons or as a goods lift between levels.



Guard rail with gate

It is usually combined with the barrier rails and can be supplied with either electrical or mechanical locking or both.



Reinforced platform

Gives additional support to the table. Also includes mechanical stops in base frame



Tipping protection

Helps to stabilize the lift table. Minimizes the risk for the lift table to hinge upward. The accessory is recommended if the platform extension is over 10 %!



Mechanical locks in platform

Secure a platform that can be lowered below floor level. When the platform is secured to the ground it can take heavy loads and even be run over by other vehicles.



EdmoLift AB, Jägaregatan 11, SE-871 42 HÄRNÖSAND, Sweden, , +46 (0)611-36 87 00, Email: b2b@edmolift.se, Website: https://www.edmolift.com

URL: https://www.edmolift.com/tf-4500



Packaging

In a rigid and durable wooden casing, in order to allow multiple handling and a safe arrival of the goods. Our product packaging is also available in a "classified version" in compliance with ISPM 15.



Car Lift Tables

For years, this solution has provided car dealers with the opportunity to overcome the obvious hinder that moving cars between different floors implies. With the adapted construction, the car lift table is perfect for being able to quickly adjust and rearrange the interior of multiple-level showrooms.

For private use it is primarily the intelligent storage possibility beneath the surface that characterizes the car lift table, as it doubles the usable area and simultaneously grant an unmatchable shelter of security that prevents break-ins and car thefts. All car lift table models include complete standard steering with one push button box.

The car lift tables cannot be used as traditional lift tables. The platform's construction in terms of profiles, thickness, etc. is designed for cars only.

PRODUCT FEATURES

- · Anti-slip platform in tear plate.
- · Mechanical adjustable stops in the base frame.
- · Lifting eye bolts.

Edmo Lift www.edmolift.se

EdmoLift AB, Jägaregatan 11, SE-871 42 HÄRNÖSAND, Sweden, , +46 (0)611-36 87 00, Email: b2b@edmolift.se, Website: https://www.edmolift.com

URL: https://www.edmolift.com/tf-4500