

Options for DINO lightweight

Mobile Elevating Work Platforms

DINO 3.5t vehicle-mounted lift



Valid for deliveries 1.1.-31.12.2024

DINO VT Series

DINOlift
UP TO THE JOB

STANDARD EQUIPMENT FOR THE LIFT

Technical details and standard equipment	230VT	230VTH
MyDINO Telematics	std	std
GVW	max 3 500 kg	max 3 500 kg
Driving licence category (EU)	B	B
H-type outriggers, hydraulically extending	std	std
Automatic levelling	std	std
One-sided jacking	std	std
Narrow jacking	std	std
Turret tail swing within truck mirror width	std	std
Hydraulic basket rotation	180 deg	180 deg
Boom rotation	+/- 355 deg	+/- 355 deg
Maximum SWL	230 kg	230 kg
Fully proportional DINO CAN BUS control system	std	std
Multiple simultaneous boom movements	std	std
Safe and easy access basket & stairs	std	std
AC sockets 230v in the basket (2pcs)	std	std
USB charger port (max 1A) in the basket	std	std
Home-function / memory function	std	std
Automatic bumper protection	std	std
Cabin protection	std	std
Door protection function	std	std
LED beacon on top of outrigger (x4)	std	std
Rear mudflaps	std	std
Space for traffic cones	std	std
LiFePo 5 kWh / 105 Ah battery-pack	-	std
1 kW inverter for onboard charging/powering the platform sockets	-	std
Vehicle AGM battery 12 V 70 Ah replaced with Lithium battery	-	std

OPTIONS FOR THE LIFT

OPTIONS FOR THE BASKET

LED working lights 2pcs 12 V / 13 W

- LED työvalot 2 kpl 12 V / 13 W
- LED arbetsbelysning 2 st 12 V / 13 W
- LED Arbeitslichter 2 Stck 12 V / 13 W

230VT	230VTH
Option	-



12 V power outlet in the basket

- 12 V -liitäntä korissa
- 12 V -uttag i korgen
- 12 V -Ausgang im Korb

230VT	230VTH
Option	-



OPTIONS FOR THE CHASSIS

Tools and harness box in the vehicle frame


- Alustaan kiinnitettävä lukittava työkalulaatikko
- Låsbar förvaringslåda monterad på chassi
- Abschliessbare Staubox am Fahrzeuggestell

230VT	230VTH
Option	-

**Open top framed cargo area**

- Huoltotason päälle asennettava materiaalin- ja tavaran kuljetusteline
- Materialtransportlåda monterad på serviceflaket
- Aluminiumrahmen für Werkzeuge und Materialtransport auf der Ladefläche

230VT	230VTH
Option	-

**Outrigger pads + brackets (4pcs)****400 x 400 x 30 mm**

- Tukijalkalevyt + teline (4 kpl) 400 x 400 x 30 mm
- Stödbensplattor + förvaringsställning (4 St) 400 x 400 x 30 mm
- Stützplatten inkl. Halterung (4 Stck) 400 x 400 x 30 mm

230VT	230VTH
Option	Option

**LED beacon for the roof of the cabin**

- Panel type
- 360 degree flash

230VT	230VTH
Option	-



Mercedes-Benz OEM floor rubber carpet set for the cabin

- Mercedes-Benz OEM Gummi-Fussmatten-Satz für die Kabine

230VT	230VTH
Option	-

**Special colour (DINO) RAL Colours,
one colour / bi-colour***

- Erikoisväri (DINO) RAL-värit, yksi väri / kaksoisväri*
- Specialfärg (DINO) RAL-färger, enfärgad / bi-färg*
- Sonderfarbe (DINO) RAL-Farben einfarbig / zweifarbig*

* Contact us for details

230VT	230VTH
Option	Option

STANDARD EQUIPMENT FOR THE VEHICLE

Vehicle standard equipment	230VT	230VTH
Mercedes-Benz Sprinter 315CDI LHD, 3665mm WB (*)(**)(***) MB prices 9.9.2019, Ex works Loimaa	std	std
Euro 6 105 kW 6 speed manual Diesel with AdBlue	std	std
Cabin and frame MB Arctic white	std	std
PTO counter shaft (2c)	std	std
6,5Jx16 steel wheels, 235/65R16C tires	std	std
Fuel tank 71 L	std	std
Pre installation for rotating beacon lamp	std	std
Cross wind assist	std	std
Rear wall window	std	std
AGM battery 12 V 70 Ah	std	-
Exterior mirror heated and elect. Adj	std	std
Stowage compartment under cockpit	std	std
Shock absorbers reinforced	std	std
End-outline marker lamps	std	std
Reversing warning device	std	std
Cup holders front	std	std
Rear mud flaps	std	std

* A detailed vehicle specification is available upon request

Vehicle specifications may change without prior notice.

** Vehicle price includes assembly of lift on chassis

*** Local taxes and registration cost not included in vehicle price

VEHICLE OPTIONS

UPGRADE PACK 1: +20 kg

- Tempmatic semi-automatic climate control system: The semi-automatic TEMPOMATIC climate control system increases the well-being with pleasant interior temperatures and makes an important contribution towards driver-fitness safety.
- MB Audio System: In addition to analogue radio reception, the Mercedes-Benz audio system already comes with a Bluetooth® interface with hands-free function and a USB port. It can optionally be upgraded into a digital radio. Digital Audio Broadcasting (DAB).

230VT	230VTH
Option	-

UPGRADE PACK 2: +32 kg

- Tempmatic semi-automatic climate control system: The semi-automatic TEMPOMATIC climate control system increases the well-being with pleasant interior temperatures and makes an important contribution towards driver-fitness safety.
- MB Audio System: In addition to analogue radio reception, the Mercedes-Benz audio system already comes with a Bluetooth® interface with hands-free function and a USB port. It can optionally be upgraded into a digital radio.
- Ebersprächer diesel auxiliary heater + 92 Ah AGM battery: The auxiliary heater has a programmable timer to ensure cosy warmth in the interior, helps to defrost frozen windows and enables engine-friendly starting at temperatures below zero. The high-performance AGM battery with 12 V/92 Ah has a host of advantages: The deep-cycle battery is robust, maintenance-free, has a very high charging current capacity and a long service life.

230VT	230VTH
Option	-

INDIVIDUAL OPTIONS FOR THE VEHICLE

Paint finish on bumper, same as cabin color

- The painting of the bumpers and the detachable parts gives the vehicle an even more appealing appearance and enhances especially the front-end and side design additionally.

230VT	230VTH
Option	Option

**Special vehicle cabin colors upon request**

230VT	230VTH
Option	Option

Front mud flaps

- The front mud flaps help keep the vehicle clean by largely keeping the dirt and water thrown up by the moving vehicle from the side walls or the body.

230VT	230VTH
Option	Option

Aluminum wheels

- Instead of steel wheels

230VT	230VTH
Option	Option

Nordic M+S Allyear tires

- Instead of the OEM summer tire, 205/75R16 (Primary brand/model: Nokian Hakkapeliitta CR3)
- The expansion of the PSM standard contacts provides body manufacturers with additional connection options without having to intervene in the vehicle wiring for their integration.

230VT	230VTH
Option	Option

DINO	230VT	230VTH
STANDARD EQUIPMENT FOR THE LIFT		
TECHNICAL DETAILS AND STANDARD EQUIPMENT FOR THE LIFT		
MyDINO Telematics	std	std
GVW	max 3 500 kg	max 3 500 kg
Driving licence category (EU)	B	B
H-type outriggers, hydraulically extending	std	std
Automatic levelling	std	std
One-sided jacking	std	std
Narrow jacking	std	std
Turret tail swing within truck mirror width	std	std
Hydraulic basket rotation	180 deg	180 deg
Boom rotation	+/- 355 deg	+/- 355 deg
Maximum SWL	230 kg	230 kg
Fully proportional Dino CAN BUS control system	std	std
Multiple simultaneous boom movements	std	std
Safe and easy access basket & stairs	std	std
AC sockets 230v in the basket (2pcs)	std	std
USB charger port (max 1A) in the basket	std	std
Home-function / memory function	std	std
Automatic bumper protection	std	std
Cabin protection	std	std
Door protection function	std	std
LED beacon on top of outrigger (x4)	std	std
Rear mudflaps	std	std
Space for traffic cones	std	std
LiFePo 5 kWh / 105 Ah battery-pack	-	std
1 kW inverter for onboard charging/powering the platform sockets	-	std
OPTIONS FOR THE LIFT		
OPTIONS FOR THE BASKET		
LED working lights 2pcs 12 V / 13 W	option	-
12 V power outlet in the basket	option	-
OPTIONS FOR THE CHASSIS		
Tools and harness box in the vehicle frame	option	-
Open top framed cargo area	option	-
Outrigger pads + brackets (4pcs) 400 x 400 x 30 mm	option	option
LED beacon for the roof of cabin	option	-
Mercedes-Benz OEM floor rubber carpet set for the cabin	option	-
Special colour (Dino) RAL Colors	option	option
Special colour (Dino) RAL Colors / bi-color	option	option

VEHICLE STANDARD EQUIPMENT	230VT	230VTH
Mercedes-Benz Sprinter 314CDI LHD, 3665mm WB (*)(**)(***)	std	std
Euro 6 105kW 6 speed manual Diesel with AdBlue	std	std
Cabin and frame MB Arctic white	std	std
PTO counter shaft (2c)	std	std
6,5Jx16 steel wheels, 235/65R16C tires	std	std
Fuel tank 71L	std	std
Pre installation for rotating beacon lamp	std	std
Cross wind assist	std	std
Rear wall window	std	std
AGM battery 12V 70Ah	std	-
Exterior mirror heated and elect. Adj	std	std
Stowage compartment under cockpit	std	std
Shock absorbers reinforced	std	std
End-outline marker lamps	std	std
Reversing warning device	std	std
Cup holders front	std	std
Rear mud flaps	std	std

* A detailed vehicle specification is available upon request

Vehicle specifications may change without prior notice.

** Vehicle price includes assembly of lift on chassis

*** Local taxes and registration cost not included in vehicle price

VEHICLE OPTIONS	230VT	230VTH
Upgrade pack 1: +20 kg (****)	option	-
Upgrade pack 2: +32 kg (****)	option	-
INDIVIDUAL OPTIONS		
Paint finish on bumper, same as cabin color	option	option
Special vehicle cabin colors upon request	option	option
Front mud flaps	option	option
Aluminum wheels instead of steel wheels	option	option
Nordic M+S Allyear tires instead of the OEM summer tire, 205/75R16 (Primary brand/model: Nokian Hakkapeliitta CR3)	option	option

**** not applicable with 230VTH